ELSEVIER

Protein Structure & Molecular Enzymology

Vol. 1252, 1995

BBA Biochimica et Biophysica Acta

Author Index

Andreu, J.M., see Encinas, M.V. (1252) 23
Armes, L.G., see Theodorakis, J.L. (1252) 114
Azuaga, A.I., Conejero-Lara, F., Rivas, G., De Filippis, V., Fontana, A. and Mateo, P.L.
The thermodynamics of association and unfolding of the 205–316 C-terminal fragment of thermolysin (1252) 95

Barata, B.A.S., see Zhelyaskov, V. (1252) 300
Benedito, E., Jiménez-Cervantes, C., Cubillana, J.D., Solano, F., Lozano, J.A. and García-Borrón, J.C.
Biochemical characterization of the melanogenic system in the eye of adult rodents (1252) 217
Bergemann, S., see Hermel, H. (1252) 79
Bicout, D.J., Field, M.J., Gouet, P. and Jouve, H.M.
Simulations of electron transfer in the NADPH-bound catalase from *Proteus mirabilis* PR (1252) 172
Bird, P., see Sun, J. (1252) 28
Blennow, A., Surin, B.P., Ehring, H., McLennan, N.F. and Spangfort, M.D.
Isolation and biochemical characterization of highly purified *Escherichia coli* molecular chaperone Cpn60 (GroEL) by affinity chromatography and urea-induced monomerization (1252) 69
Brands, C.M.J., see Maste, M.C.L. (1252) 261
Buck, L.M., see Ford, S.R. (1252) 180

Cardemil, E., see Encinas, M.V. (1252) 23
Carver, J.A., Guerreiro, N., Nicholls, K.A. and Truscott, R.J.W.
On the interaction of α-crystallin with unfolded proteins (1252) 251
Conejero-Lara, F., see Azuaga, A.I. (1252) 95
Coughlin, P., see Sun, J. (1252) 28
Cubillana, J.D., see Benedito, E. (1252) 217

Davidson, V.L. and Jones, L.H.
Reaction mechanism for the inactivation of the quinoprotein methylamine dehydrogenase by phenylhydrazine (1252) 146
Debabov, V.G., see Komissarov, A.A. (1252) 239
De Caro, A., see De Caro, J. (1252) 321
De Caro, J., Ferrato, F., Verger, R. and De Caro, A.
Purification and molecular characterization of lamb pregastric lipase (1252) 321
De Filippis, V., see Azuaga, A.I. (1252) 95
Deprez, P.N., Signorelli, J. and Inestrosa, N.C.
Effect of protamine on the solubilization of collagen-tailed acetylcholinesterase: potential heparin-binding consensus sequences in the tail of the enzyme (1252) 53
De Rossi, U., see Hermel, H. (1252) 79
Díaz, J.F., see Encinas, M.V. (1252) 23
Dixon, H.B.F., see Stevens, J. (1252) 195
Dowd, S.R., Pratt, E.A., Sun, Z.-Y. and Ho, C.
Nature and environment of the sulfhydryls of membrane-associated D-lactate dehydrogenase of *Escherichia coli* (1252) 278
Dowd, S.R., see Sun, Z.-Y. (1252) 269

Egmond, M.R., see Maste, M.C.L. (1252) 261
Ehring, H., see Blennow, A. (1252) 69
Encinas, M.V., Olsen, L.R., Díaz, J.F., Andreu, J.M., Goldie, H. and Cardemil, E.
Circular dichroism and Fourier transform infrared spectroscopic studies on the secondary structure of *Saccharomyces cerevisiae* and *Escherichia coli* phospho*enol*pyruvate carboxykinases (1252) 23
Eswaran, D., Showkat Ali, M., Shenoy, B.C., Korotchkina, L.G., Roche, T.E. and Patel, M.S.
Arginine-239 in the beta subunit is at or near the active site of bovine pyruvate dehydrogenase (1252) 203

Fan, Y.-x., Ju, M., Zhou, J.-m. and Tsou, C.-l.
Activation of chicken liver dihydrofolate reductase in concentrated urea solutions (1252) 151
Farruggia, B., Garcia, F. and Picó, G.
Structural features of the hydroxy- and keto-disubstituted bile salts: human serum albumin binding (1252) 59
Felix, C., see Sun, Z.-Y. (1252) 269
Fernández-Ballester, G., see Gasset, M. (1252) 126
Ferrato, F., see De Caro, J. (1252) 321
Fetzner, S., see Rosche, B. (1252) 177
Field, M.J., see Bicout, D.J. (1252) 172
Fontana, A., see Azuaga, A.I. (1252) 95
Ford, S.R., Buck, L.M. and Leach, F.R.
Does the sulfhydryl or the adenine moiety of CoA enhance firefly luciferase activity? (1252) 180
Furcht, L.T., see Hansen, L.K. (1252) 135

Garber, E.A.E., see Theodorakis, J.L. (1252) 103
García-Borrón, J.C., see Benedito, E. (1252) 217
Garcia, F., see Farruggia, B. (1252) 59
Gasset, M., Mancheño, J.M., Lacadena, J., Martinez del Pozo, A., Oñaderra, M. and Gavilanes, J.G.
Spectroscopic characterization of the alkylated α-sarcin cytotoxin: analysis of the structural requirements for the protein–lipid bilayer hydrophobic interaction (1252) 43
Gasset, M., Mancheño, J.M., Laynez, J., Lacadena, J., Fernández-Ballester, G., Martinez del Pozo, A., Oñaderra, M. and Gavilanes, J.G.
Thermal unfolding of the cytotoxin α-sarcin: phospholipid binding induces destabilization of the protein structure (1252) 126
Gavilanes, J.G., see Gasset, M. (1252) 126
Gavilanes, J.G., see Gasset, M. (1252) 43
Gerig, J.T., see Sylvia, L.A. (1252) 225
Goldie, H., see Encinas, M.V. (1252) 23
Gouet, P., see Bicout, D.J. (1252) 172
Guerreiro, N., see Carver, J.A. (1252) 251

Halling, P.J., see Rosell, C.M. (1252) 158
Hansen, L.K., O'Leary, J.J., Skubitz, A.P.N., Furcht, L.T. and McCarthy, J.B.
Identification of a homologous heparin binding peptide sequence present in fibronectin and the 70 kDa family of heat-shock proteins (1252) 135
Hermel, H., Höltje, H.-D., Bergemann, S., De Rossi, U. and Kriwanek, J.
Band-shifting through polypeptide β-sheet structures in the cyanine UV-Vis spectrum (1252) 79
Hibiya, Y., see Nishihira, J. (1252) 233
Higashiyama, T., see Sakamoto, Y. (1252) 209
Hirao, Y., see Suzuki, T. (1252) 189

Ho, C., see Dowd, S.R. (1252) 278
Ho, C., see Sun, Z.-Y. (1252) 269
Höltje, H.-D., see Hermel, H. (1252) 79
Horowitz, P.M., see Luo, G.-X. (1252) 165
Hua, S., see Luo, G.-X. (1252) 165
Hyde, J.S., see Sun, Z.-Y. (1252) 269

Ibuka, A., see Tonozuka, T. (1252) 35
Inestrosa, N.C., see Deprez, P.N. (1252) 53
Ito, O., see Nakano, R. (1252) 245

Jiménez-Cervantes, C., see Benedito, E. (1252) 217
Jones, L.H., see Davidson, V.L. (1252) 146
Jouve, H.M., see Bicout, D.J. (1252) 172
Ju, M., see Fan, Y.-x. (1252) 151

Kitamura, K., see Sakamoto, Y. (1252) 209
Komissarov, A.A. and Debabov, V.G.
Modification with tetranitromethane of an essential tyrosine residue in uridine phosphorylase from *Escherichia coli* (1252) 239
Konami, H., see Nakano, R. (1252) 245
Korotchkina, L.G., see Eswaran, D. (1252) 203
Kriwanek, J., see Hermel, H. (1252) 79
Kumazaki, T., see Nishihira, J. (1252) 233

Lacadena, J., see Gasset, M. (1252) 126
Lacadena, J., see Gasset, M. (1252) 43
Laurell, C.-B., see Sakamoto, Y. (1252) 209
Laynez, J., see Gasset, M. (1252) 126
Leach, F.R., see Ford, S.R. (1252) 180
LeGall, J., see Zhelyaskov, V. (1252) 300
Liao, S.-Y., Ong, G.-T., Wang, K.-T. and Wu, S.-H.
Conformation of polymyxin B analogs in DMSO from NMR spectra and molecular modeling (1252) 312
Ling, J., Liu, W.-y. and Wang, T.P.
Simultaneous existence of two types of ribosome-inactivating proteins in the seeds of *Cinnamonum camphora* — characterization of the enzymatic activities of these cytotoxic proteins (1252) 15
Lingens, F., see Rosche, B. (1252) 177
Liu, W.-y., see Ling, J. (1252) 15
Lolkema, J.S.
Friction analysis of kinetic schemes: the friction coefficient (1252) 284
Lozano, J.A., see Benedito, E. (1252) 217
Luo, G.-X., Hua, S. and Horowitz, P.M.
Mutation in the interdomain tether influences the stability and refolding of the enzyme rhodanese (1252) 165

Madison, J., see Sakamoto, Y. (1252) 209
Mancheño, J.M., see Gasset, M. (1252) 126
Mancheño, J.M., see Gasset, M. (1252) 43
Margoliash, E., see Qin, W. (1252) 87
Margoliash, E., see Theodorakis, J.L. (1252) 103
Margoliash, E., see Theodorakis, J.L. (1252) 114
Martinez del Pozo, A., see Gasset, M. (1252) 126
Martinez del Pozo, A., see Gasset, M. (1252) 43
Maste, M.C.L., Rinia, H.A., Brands, C.M.J., Egmond, M.R. and Norde, W.
Inactivation of a subtilisin in colloidal systems (1252) 261
Mateo, P.L., see Azuaga, A.I. (1252) 95
Matsuzawa, H., see Tonozuka, T. (1252) 35
McCarthy, J.B., see Hansen, L.K. (1252) 135
McCracken, J., see Theodorakis, J.L. (1252) 103
McLennan, N.F., see Blennow, A. (1252) 69
Mogi, S.-i., see Tonozuka, T. (1252) 35
Moura, J.J.G., see Zhelyaskov, V. (1252) 300

Nakano, R., Konami, H., Sato, H., Ito, O. and Shimizu, T.
Marked detergents effects on safranine T-mediated photo-induced electron transfer in cytochrome *P*-450 1A2 (1252) 245
Nicholls, K.A., see Carver, J.A. (1252) 251
Nishi, S., see Nishihira, J. (1252) 233
Nishihira, J., Hibiya, Y., Sakai, M., Nishi, S., Kumazaki, T., Ohki, S.-y. and Sakamoto, W.
The C-terminal region, Arg^{201}-Gln^{209}, of glutathione *S*-transferase P contributes to stability of the active-site conformation (1252) 233
Nitschke, W., see Rosche, B. (1252) 177
Nomura, M., see Sakamoto, Y. (1252) 209
Norde, W., see Maste, M.C.L. (1252) 261

Ó Fágáin, C.
Understanding and increasing protein stability (1252) 1
Ohki, S.-y., see Nishihira, J. (1252) 233
Ohta, T., see Tonozuka, T. (1252) 35
O'Leary, J.J., see Hansen, L.K. (1252) 135
Olsen, L.R., see Encinas, M.V. (1252) 23
Oñaderra, M., see Gasset, M. (1252) 126
Oñaderra, M., see Gasset, M. (1252) 43
Ong, G.-T., see Liao, S.-Y. (1252) 312

Patel, M.S., see Eswaran, D. (1252) 203
Peisach, J., see Theodorakis, J.L. (1252) 103
Peyton, D.H., see Yee, S. (1252) 295
Phillips, A., Pretorius, G.H.J. and Van Rensburg, H.G.
Molecular characterization of a *Galactomyces geotrichum* lipase, another member of the cholinesterase/lipase family (1252) 305
Picó, G., see Farruggia, B. (1252) 59
Plotkin, B., see Qin, W. (1252) 87
Pratt, E.A., see Dowd, S.R. (1252) 278
Pretorius, G.H.J., see Phillips, A. (1252) 305
Putnam, F.W., see Sakamoto, Y. (1252) 209

Qin, W., Sanishvili, R., Plotkin, B., Schejter, A. and Margoliash, E.
The role of histidines 26 and 33 in the structural stabilization of cytochrome *c* (1252) 87

Riedel, A., see Rosche, B. (1252) 177
Rinia, H.A., see Maste, M.C.L. (1252) 261
Rivas, G., see Azuaga, A.I. (1252) 95
Roche, T.E., see Eswaran, D. (1252) 203
Rosche, B., Fetzner, S., Lingens, F., Nitschke, W. and Riedel, A.
The 2Fe2S centres of the 2-oxo-1,2-dihydroquinoline 8-monooxygenase from *Pseudomonas putida* 86 studied by EPR spectroscopy (1252) 177
Rosell, C.M., Vaidya, A.M. and Halling, P.J.
Prediction of denaturing tendency of organic solvents in mixtures with water by measurement of naphthalene solubility (1252) 158

Sakai, H., see Tonozuka, T. (1252) 35
Sakai, M., see Nishihira, J. (1252) 233
Sakamoto, W., see Nishihira, J. (1252) 233
Sakamoto, Y., Kitamura, K., Madison, J., Watkins, S., Laurell, C.-B., Nomura, M., Higashiyama, T. and Putnam, F.W.
Structural study of the glycosylated and unglycosylated forms of a genetic variant of human serum albumin (63 Asp → Asn) (1252) 209
Sakano, Y., see Tonozuka, T. (1252) 35
Salem, H.H., see Sun, J. (1252) 28
Sanishvili, R., see Qin, W. (1252) 87
Sato, H., see Nakano, R. (1252) 245
Schejter, A., see Qin, W. (1252) 87
Schejter, A., see Theodorakis, J.L. (1252) 103
Shenoy, B.C., see Eswaran, D. (1252) 203
Shibata, Y., see Takeuchi, F. (1252) 185
Shimizu, T., see Nakano, R. (1252) 245

Shimura, Y., see Tonozuka, T. (1252) 35
Showkat Ali, M., see Eswaran, D. (1252) 203
Signorelli, J., see Deprez, P.N. (1252) 53
Skubitz, A.P.N., see Hansen, L.K. (1252) 135
Solano, F., see Benedito, E. (1252) 217
Spangfort, M.D., see Blennow, A. (1252) 69
Stevens, J. and Dixon, H.B.F.
The removal of 2–oxoacyl residues from the N-terminus of peptides and cystatin in non–denaturing conditions (1252) 195
Sun, J., Coughlin, P., Salem, H.H. and Bird, P.
Production and characterization of recombinant human proteinase inhibitor 6 expressed in *Pichia pastoris* (1252) 28
Sun, Z.-Y., Dowd, S.R., Felix, C., Hyde, J.S. and Ho, C.
Stopped-flow kinetic and biophysical studies of membrane-associated D-lactate dehydrogenase of *Escherichia coli* (1252) 269
Sun, Z.-Y., see Dowd, S.R. (1252) 278
Surin, B.P., see Blennow, A. (1252) 69
Suzuki, T., Hirao, Y. and Vinogradov, S.N.
Primary structure of a constituent polypeptide chain of the chlorocruorin from *Sabellastarte indica* (1252) 189
Sylvia, L.A. and Gerig, J.T.
NMR studies of the α-chymotrypsin-(*R*)-1-acetamido-2-(4-fluorophenyl)ethane-1-boronic acid complex at pH 7 (1252) 225

Takeuchi, F., Tsubouchi, R., Yoshino, M. and Shibata, Y.
Amino-acid sequence of rat liver kynureninase (1252) 185
Theodorakis, J.L., Armes, L.G. and Margoliash, E.
β-Thiopropionyl cytochromes *c* modified at lysyl residues: preparation and characterization of the monosubstituted horse cytochromes *c* (1252) 114
Theodorakis, J.L., Garber, E.A.E., McCracken, J., Peisach, J., Schejter, A. and Margoliash, E.
A chemical modification of cytochrome-*c* lysines leading to changes in heme iron ligation (1252) 103
Tonozuka, T., Mogi, S.-i., Shimura, Y., Ibuka, A., Sakai, H., Matsuzawa, H., Sakano, Y. and Ohta, T.
Comparison of primary structures and substrate specificities of two pullulan-hydrolyzing α-amylases, TVA I and TVA II, from *Thermoactinomyces vulgaris* R-47 (1252) 35
Truscott, R.J.W., see Carver, J.A. (1252) 251
Tsou, C.-l., see Fan, Y.-x. (1252) 151
Tsubouchi, R., see Takeuchi, F. (1252) 185

Vaidya, A.M., see Rosell, C.M. (1252) 158
Van Rensburg, H.G., see Phillips, A. (1252) 305
Verger, R., see De Caro, J. (1252) 321
Vinogradov, S.N., see Suzuki, T. (1252) 189

Wang, K.-T., see Liao, S.-Y. (1252) 312
Wang, T.P., see Ling, J. (1252) 15
Watkins, S., see Sakamoto, Y. (1252) 209
Wu, S.-H., see Liao, S.-Y. (1252) 312

Yee, S. and Peyton, D.H.
Variable-temperature study of the heme-reorientation process in equine myoglobin (1252) 295
Yoshino, M., see Takeuchi, F. (1252) 185
Yue, K.T., see Zhelyaskov, V. (1252) 300

Zhelyaskov, V., Yue, K.T., LeGall, J., Barata, B.A.S. and Moura, J.J.G.
Resonance Raman study on the iron-sulfur centers of *Desulfovibrio gigas* aldehyde oxidoreductase (1252) 300
Zhou, J.-m., see Fan, Y.-x. (1252) 151